Safety Air Guns

- Meets or Exceeds OSHA Standards
- Build in Hanger for Easy Storage
- Durable Cast Aluminum Non-sparking construction
- 1/4" NPT (Female) Inlet
- Ergonomic grip and trigger reduces

Air Shield Patented air cone protects operator from dangerous chip fly-back!



air volume (not shown).

- Extension allows a longer reach
- Enhanced Venturi tip increases power and thrust
- More powerful than a dangerous open air hose
- 12 month limited warranty
- Replacement parts available



High Power Unique venturi nozzle delivers 100% more thrust compared to conventional air guns!



Standard stock lengths: 6, 12, 18, 24, 36, 48, 60 & 72 inches.



900 Long JohnTM Compact thumb switch design delivers 2.0 lbs. of thrust/power. Standard stock lengths: 900 = 6, 12, 18, 24, 36, 48, **Blo Hard** 60 & 72 inches.

Syphon[™] Spray Guns Uses standard shop compressed air to spray multi-viscosity liquids!



795G012 Syphon™ Gun 12" extension with adjustable nozzle tip sprays up to 16 gallons/hour of oils, solvents, cleaners, mold release agents, disinfectants, insecticides and coatings.



79WGD Water Jet Cleaning Gun Kit 12" extension with adjustable spigot applies up to 32 gallons/hour of water, detergent or degreaser to the toughest cleaning jobs.



835G Pneumatic Oil Gun I 2" extension with adjustable nozzle tip

sprays up to 13 gallons/hour. Features a one quart screw-on container and knurled adjusting nut to control air volume.

Maximum Power Unique venturi nozzle delivers 250% more thrust than other air guns!

75XT Xtra Thrust™ Delivers a maximum of 3.2 lbs. of thrust/power.

Easier to grasp with full length trigger. Standard stock lengths: 6, 12, 18, 24, 36, 48, 60 & 72 inches.





length trigger.

REPAIR KITS AVAILABLE О DESCRIPTION PART # 75XTK01 Valve Repair Kit Valve assembly Valve spring Rubber washer 75XTK02 Gun Rebuild Kit Valve assembly Valve spring Rubber washer Hex nut Gasket Trigger Trigger rivet



Phone 816.753.7676 Fax 816.753.0444 email: kcsupply@kcsupply.com

Air Guns and Housekeeping Items





Special tip design prevents blockage of nozzle.



Knurled adjusting nut controls air volume.



Air Gun Accessories



Uses standard shop compressed air to create high vacuum!



Static resistant; no wires or electrical fields.





- 1. GRIP: Comfortable, plastic, slip-on grip. Ideal for frequent air gun users. Fits all Guardair products except 900 Series Guns and 1000B Sand Blaster.
- 2. COILGUARD SAFETY COILED AIRLINE HOSE: A self-storing air hose that stretches and recoils like a telephone cord. Provides efficient, easy handling and quick tool change. Available in many popular sizes.
- 3. FITTINGS: A wide assortment of the most popular pneumatic couplers and connectors. Specially sized for oplimal performance.
- 4. SAFETY EXCESS FLOW CHECK VALVE: Shuts off air flow in the event of a sudden rupture in the air line.

Alumiglass

hard-to-reach areas.

MULTI-PURPOSE

Combination smooth composite fiberalass handle and aluminum tube for balance. Die cast metal 34" (2 cm) threaded end and heavy duty chuck and collet locking device. Two and three section poles available

6512	ALUMIGLASS 2 SECTION	6'-12'	(1.8 M - 3.6 M)
6516	ALUMIGLASS 2 SECTION	8'-16'	(2.4 M - 4.8 M)
6612	ALUMIGLASS 3 SECTION	4'-12'	(1.2 M - 3.6 M)
6618	ALUMIGLASS 3 SECTION	6'-18'	(1.8 M - 5.4 M)
6624	ALUMIGLASS 3 SECTION	8'-24'	(2.4 M - 7.2 M)

Attach a plastic scraper or a brush to clean walls, bin bottoms, railcars, spouting and more.



MORGAN GRAIN RAKE

For ease in grain handling, this rake comes with a 5-foot handle and a 2-foot extension. blade is made of 18 gauge galvanized steel. Blade dimensions: $20^{\prime\prime}W \times 7\frac{1}{2}^{\prime\prime}H$. Net wt 6½ lb



Phone 816.753.7676 Fax 816.753.0444 email: kcsupply@kcsupply.com



Plastic Scraper

- Fits threaded broom handles and • extension poles
- Rugged Polypropylene
- 5/8" Female Threads
- 12" Blade width





Hand Brushes

Master Miller Hand Brush

The Master Miller Hand Brush is made from imported boiled and bleached boar bristles. Each tuft is individually tied and set in adhesive filled holes one tuft at a time to ensure against shedding. The handles are made from hard maple and tuned by a master wood turner and are ergonomically designed for easier use. These brushes are 9" in size with a 4" tip and a 3 1/4" back.



Mini-Master Hand Brush

The Mini-Master Hand Brush is a small version of the Master Miller Hand Brush without the 4" tip. The size is 7" with a 3 1/4" back. It is useful in areas that are too small for the Master Miller Hand Brush to reach.



Hand Purifier Brush

The Hand Purifier Brush is made with pure nylon bristles set in adhesive. These bristles wear longer and brush cleaner. The handles are also hard maple and are ergonomically designed for easier handling. These brushes are also available with one single row of bristles.



Sifter Cleaning Brush

The Sifter Cleaning Brush was designed to replace the brass cleaning brush. It is made from pure nylon placed in an ergonomically designed handle made from hard maple for easier cleaning with less stress on the hands.



Floor Brushes

Master Miller Floor Brush

The Master Miller Floor Brush is also made from boiled and bleached boar bristles. Each tuft is also individually tied and set in adhesive filled holes one tuft at a time to ensure against shedding. Each brush block is made from hardwood and flared at the ends with a 3 3/4" trim. Stock size is 14" – Special orders: 16" and 18". One sweep does it with the Master Miller Floor Brush.



Gold Stripe Floor Brush

The perfect sweeping brush for heavy uses as well as a light dust. Made for service in flour mills, grain elevators and warehouses for medium heavy sweeping. It has a center row of medium stiff fibers surrounded by a black horsehair mixture. The trim size is 3". These brushes are made with hardwood blocks and have two handle holes. Sizes: 14", 18", 24", 30", and 36".



Missouri Mule Floor Brush

The Missouri Mule Floor Brush is made for rough usage and long life. Extra stiff fiber center with a black horsehair mixture border. These brushes are ideal for warehouses, factories and grain elevators. They get the entire dirt in one stroke, the heavy, the medium and the fine dust also. These brushes are made with hardwood blocks and have two handle holes. Sizes: 14", 18", 24", 30", and 36".

1.800 KC SUPPLY (527.8775) www.kcsupply.com Phone 816.753.7676 Fax 816.753.0444 email: kcsupply@kcsupply.com

Roll Brushes

Roll Brush

All roll brushes are produced to user's specific dimensions to fit the manufacturer's equipment. These brushes are made with a mixture of plant fibers, and are used on most rolls in the milling process. This brush has demonstrated excellent performance in keeping roll surfaces continuously free of product. The new designs – stitching and rounded over edges adds to the quality of these brushes and can be ordered made with nylon fibers also.

Miscellaneous Brushes

Full Round or Half Round Master Miller Wall Brush

An excellent dusting brush for walls, ceilings, overhead pipes and ledges. Solid maple block filled with boiled and bleached boar bristles like the Master Miller Hand and Floor Brushes.

Purifier Brush Refills

Purifier Brush Refills are filled to the customer's specifications using goathair, horsehair or nylon. Opie's precision and accuracy assure you of a well. performing brush.

Elevator Leg Brush

The Elevator Leg Brush bolts to elevator belts to sweep elevator legs clean. This brush is made to customer's specifications.

Spout Cleaning Brush

The Spout Cleaning Brush are made of nylon or steel wire in stock size of 4", 5" and 6". Loop on both ends for attaching rope or chain.

Pipe Cleaning Brushes

Pipe Cleaning Brushes are made from natural fiber or nylon for cleaning the out side of pipes and are available in 12" or 18" sizes. These brushes have handles that screw on to regular threaded handles or extension handles.

13













1.800 KC SUPPLY (527.8775) www.kcsupply.com

Bolt-in Broom Heads

Brushes (broom heads), Handles and Braces are sold separately See page 133 for available handles and braces.





Phone 816.753.7676 Fax 816.753.0444 email: kcsupply@kcsupply.com

Brush Heads, Handles and Braces

Brushes, Handles and Braces are sold separately See below for available handles and braces.

Pushbrooms for Heavy & Coarse Sweeping









No. 65 Indusweep (not shown) 5800 Series · Ideal For: Medium to • Trim Length: 2 7/8" · Fill: Medium-stiff black heavy sweeping on wet or dry concrete. plastic. • Slzes: 24" A No. 71 Speedisweep · Ideal For: Sweeping · Sizes: 18", 24" cement surfaces, wet or dry. . Trim Length: 4" Often carried on tow trucks. . Fill: Natural Palmyra fiber No. 74 Supersweep · Ideal For: Homeowners, · Sizes: 18", 24", 30", 36", 42" contractors, grain elevators, . Trim Length: 3 1/4" fertilizer plants, profession- . Fill: Tough, medium-stiff, al gardeners and landscapreddish hrnwn ers. Good on blacktnp, conplastic. crete and wood surfaces. No. 75 (not shown) Ecomony version of the Famous No. 74. Made with a crimped version of the Supersweep fill. • Slzes: 24", 36" • Trim Length: 3 1/4" No. 79 Stiffsweep (not shown) Stiffer version of the No. 74. Blue plastic fiber for heavy sweeping applications. • Sizes: 24" • Trim Length: 3 1/4" No. 83 Millsweep · Ideal For: Coarse sweeping mills, wrecker services, conand moving heavy debris. struction workers and roofers. Landscapers, professional Sizes: 18", 24", 30" gardeners, fertilizer plants, Trim Length: 4" foundries, factories, saw · Fill: Very stiff black plastic. D No. 86 All-Wire Ideal For: Special heavy · Sizes: 14", 18", 24" sweeping applications in Trim Length: 2 3/4" glass factories, steel mills, · Fill: Tempered steel wire. grain dryers and asphalt or paying contractors **Pushbroom Handles & Accessories** No. 87 Floor Broom Handle Brare Fits all HARPER 18" to 36" floor brooms. Steel, powder-coated black, supplied with bardware. No. 88 Speedletean Scraper This steel scraper is formed to lock in place between the iron connector and the brush block. Fits all iron-connector floor brushes. Used to remove stubbrin dirt and debris quickly without need for a second tool. Handy as a stand for storing brush when not in use, pre-

venting distortion of the brush fiber. No. 89 Floor Broom Handle Brace Fils all HARPER 42" flonr brooms, Steel, powder-coated red, supplied with hardware.

No. 83H An iron-connector handle that is also an extension handle! This red-and-black PVC-coated steel handle extends 3' to 5'. Diameter: 1 1/8". Excellent for highway departments, wreckers, state vehicles, RV owners.

No. 85H Hardwood Pushbroom Handle with iron-connector up. Handle is fastened to slotted brush block with a T-nut bolt assembly. Red-upped, sanded, double-lacquered finish, 1 1/8"x 60". No. 84H Identical to No. 85H, except handle is 15/16" in

diameter. No. 85HP Economical version of No. 85H, identical except

without paint or lacquer.



5600

Series

А

В

C

D

The Harper Brush Econoline™ has been carefully developed for the budget-conscious buyer. It represents Harper's answer to those discriminating customers who are aware of the high quality of Harper products, but must operate on a limited budget. The EconolineTM brush block is constructed of hardwood and is available in clither the 5600 slotted series or the 5800 threaded series. Handles, hraces and scrapers are sold separately.

No. 5622 Econo Silversween

A No. 5622 Econo Silver	sweep
 Ideal For: Removing dust and light dirt on smooth and semi-smooth surfaces. Slotted for HARPER iron- connector bolt-on handle. 	 Trim Length: 3"
No. 5822 (not shown) Same a firr use with threaded handle,	as the No. 5622, except
No. 5632 Econo Hotsweep) (not shown)
 Ideal For: Smooth & semi- smooth surfaces. Heat-resistant fiber is ideal for high temperature debris where plastic cannot be used. Slotted for HARPER iron- connector bolt-on handle. 	 Sizes: 18", 24" Trim Length: 2 7/8" Fill: Natural black Tampico, heat resistant.
No. 5832 Same as the No. 563 thrended handle.	2, except for use with
No. 5635 Econo Duos	weep
 Ideal For: Driveways, side- walks, parking luts, patios and warehouses. Slotted for HARPER iron-connector bolt- on handle. 	 Sízes: 18", 24" Trim Length: 3" Fill: Center rows filled with medium-stiff black plastic, feathered borler of fine silver plastic.
No. 5835 Same as the No. 563: threaded handle.	5. except for use with
C No. 5676 Econo Roug	hsweep
Ideal For: Heavy dirt, metal, wood chips and other debris. Sinued for HARPER iron-con- nector bolt-on handle.	• Sizes: 18", 24" • Trim Length: 3"
No. 5876 Same as the No. 5670 threaded handle.	6, except for use with
D No. 5696 Econo Stree	tsweep
 Ideal For: Farm, roofing, streets and other outdoor applications. Resists solvents. Slotted for HAR- PER iron-connector bolt-on handle. 	 Trim Length: 4 1/4" Fill: Stiff OSHA orange
No. 5896 Same as the No. 569 threaded handle.	6, except for use with
No. 1183 & No. 1243 Pali Pushbrooms (not shown)	myra
 Ideal For: Coment sweeping, drive ways, parking lots, warehonses and all outdoor uses. Heat resistan 	No. 1243, 24"

and all outdoor uses. Heat resistant • Trim Length: 3" and will not absorb moisture. • Fill: Natural Palmyra,

Econoline Handles & Accessories

No. 84H Hardwood Iron-Connector Handle Handle is fastened to slotted brush with T-nut & bolt assembly. Red-tipped, sanded, double lacquered finish. 15/16" x 60".

No. 87 Floor Broom Handle Brace Fits all HARPER Econoline Pushbrooms. Steel, powder-coated black, sup-plied with hardware. Assures handle remains securely fastened to broom head.

No. 88 Speediclean Scraper This steel scraper is formed to lock in place between the iron-connector and the brush block. Fits all iron-connector floor brushes. Used to remove stubborn dirt and dehris quickly without need for a second tool. Handy as a stand for storing brush when not in use, preventing distortion of the brush fiber.

No. 91260H Durable press-fitted zine die-cast tip on a lacquered dowel. Not recommended for use in acid or caustic solutions. 15/16" x 60".



1.800 KC SUPPLY (527.8775) www.kcsupply.com

Phone 816.753.7676 Fax 816.753.0444 133 email: kcsupply@kcsupply.com

Brush Handles - Wood and Fiberglass



Wood Threaded

- No. 114H Ideal for: Upright brooms and use with car/truck wash brushes where short handle is convenient. • Size: 15/16" x 48", lacquer finish.
- No. 20720H Ideal for: No. 205 and No. 207 automotive squeegee heads. • Size: 20", painted red.
- No. 90060H Ideal for: Pushbrooms and car/truck wash brushes. • Size: 15/16" x 60", lacquer finish.

Plastic Tip Threaded

- No. 114HPT Ideal for: Upright brooms and use with ear/muck wash brushes where short handle is convenient. • Size: 15/16" x 48", lacquer finish and cap/ring for hanging.
- B No. 116H Metal Handle Ideal for: Upright brooms, snow rake. • Size: 15/16" x 48", plastic cap for hanging.
- No. 116SH Metal Handle (not shown) Ideal for: Lobby broom. • Size: 15/16" x 30", plastic cap for hanging.
- No. 901H Strong, fitted No. 901 plastic tip on a sturdy. lacquered-finished, hardwood dowel.
 No. 90154H 15/16" x 54" No. 90172H 15/16" x 72"
- No. 90160H 15/16" x 60"
- dy. lacquered hardwood dowcl.
 No. 90472H | 1/8" x 72"
 No. 90496H | 1/8" x 96"

Acid-Resistant Tip Handles

- No. 910H Sturdy, lacquered hardwood dowel with
- No. 91060H 15/16" x 60" No. 91160H 1 1/8" x 60" • No. 91072H 15/16" x 72" • No. 91172H 1 1/8" x 72" • No. 91196H 1 1/8" x 96"

Aluminum Tip Threaded

- No. 902H Hardwood dowel with lacquer finish and durable press-fitted aluminum die-cast tip.
- No. 90260H 15/16" x 60" · No. 90296H 11/8" x 96"
 No. 90272H 11/8" x 72" · No. 902120H 11/8" x 120"

Zinc Tip Threaded

No. 114HMT (not shown) • Ideal for: Upright brooms and car/truck wash brishes where short handle is convenient. • Size: 15/16" x 48", lacquer-finished hardwood dowel with zine die-cast tip.

- No. 912H Durable press-fitted zinc die-cast tip on a lacquered hardwood dowel. Not recommended for use in acid or caustic solutions.
 - No. 91254H 15/16" x 54" No. 91272H 15/16" x 72" • No. 91260H 15/16" x 60"

No. 91360H (not shown) 1 $1/5'' \ge 60''$ hardwood handle with zinc tip.

Replacement Tips

No. 380R Replacement Threads (not shown) Metal replacement threaded tip for the No. 380 series extension poles.

- No. 901T Plastic Threaded.
- I. No. 902T Aluminum Threaded.
- No. 910T Acid-Resistant Plastic Threaded.
- No. 912T Zinc Threaded.

No. 915T Zinc Threaded for fiberglass extension bandles.

Iron-Connector Handles

No. 83H Extension Handle • Ideal for: Highway departments, wrackers, state vehicles, RV owners, • Size: Extends 3' to 5'. Diameter: 1 1/8", red PVC coaled steel.

No. 84H (not shown) \cdot Ideal for: Harper slotted pushbroom, car/truck wash brushes. \cdot Size: 15/16" x 60", hardwood with a non-breakable iron casting. Red-tipped, double-lacquered finish.

- No. 85H Ideal for: All Harper slotted pushbrooms and deck scrubs. • Size: 1 1/8" x 60", hardwood with a non-breakable iron casting. Red-tipped, sanded, doublelacquered finish.
- No. 8572H Identical to No. 85H except length is 72".
- No. 8596H Identical to No. 85H except length is 96". No. 85HP Economical version of No. 85H, identi-
- cal except with no paint or lacquer.

Tapered Handles

No. 119H • Ideal for: No. 25122 and No. 25330 Moss Foant Squeegees and other poke style handle applications. • Size: 15/16" x 54", sanded, plain hardwood handle.

- No. 248H Ideal for: HARPER floor squeegees and garage/street brushes. • Size: 1 1/8" x 60", redtipped, sanded, double-lacquered finish.
- No. 253H Ideal for: No. 25122 and No. 25330 Moss Foam Squeegees. • Size: 15/16" x 60", redtipped, sanded, double-lacquered finish.
- No. 39772H Dnal-Purpose Tapered Handle
 Ideal for: Two tapered ends, one for window squeegees, one for window brushes.
 Slze: 1 1/8" x 72", sanded, plain hardwood.
- No. 907H Floor Scraper Handle Ideal for: Harper's No. 907 floor scraper. • Slze: Sturdy i 1/8" x 54" hardwood, sanded, plain.
- No. 9760H Ideal for: HARPER floor squeegees and garage/street brushes. • Size: 1 1/3" x 60", sanded, double-lacquered finish. No paint.
- No. 9760HP (not shown) Ideal for: HARPER floor squeegees and garage/street brushes. • Size: 1 1/8" x 60", sanded. No paint or lacquer.

Fiberglass Handles

No. 903H Fiberglass handle with Harper exclusive 8" tapered solid core. 1" x 60"

- No. 903HIC Same as No. 903H except with bolton iron-connector casting.
- No. 90360HPT Same as No. 903H except with No. 901 threaded plastic tip.
- No. 90372HPT (not shown) Hollow core fiberglass handle. 15/16" x 72"
- No. 381H Fiberglass Extension Handle Contractor quality, all fiberglass extension handles with a positive locking system. These two-section handles come with a contont grip on one end and a threaded metal rip on the other. Available in three sizes. • No. 38196H 4'-8' • No. 381192H 8'-16'
 - No. 38196H 4'-8' No. 381192H 8'-16' • No. 381144H 6'-12'

Squeegee Handles w/Connectors

- Ideal for all HARPER floor squeegees, excluding moss foam rubber models.
- No. 248HAS Sturdy, lacquered, red-tipped hardwood dowel with No. 240 zinc squeegee connector, 11/8" x 60"
- No. 248HPS Same as No. 248HAS except with No. 241 plastic squeegee connectors. 1 1/8" x 60"



М

Phone 816.753.7676 Fax 816.753.0444 email: kcsupply@kcsupply.com

0



Squeegees, Warehouse Brooms, Counter Dusters



С

Squeegee blades are firmly anchored between heavy gauge, powder-coaled, steel strips, secured by plated 1/4" bolts. Either a tough cast zinc socket or a hardened plastic socket securely holds the hundle. Please specify when ordering. Handles, sockets and braces sold separately.

No. 246 Single-Edge **Rubber Squeegee** Blade: Rubber, 1/4" thick x . Sizes: 30" No. 24630 2" wide. Squeegee may be 36" No. 24636 turned over and the angle

iron used as a scraper. No. 246R Refill blades available in both sizes.

E No. 247 Curved-Edge **Rubber Squeegee**

· Blade: Rubber, 1/4" thick x	 Sizes: 	24" No. 24724
3 1/2" wide, double-edged,		30" No. 24730
curved frame. Good for trap	1-	36" No. 24736
ping water, No. 248R Reli	ນ	
blades available in all sizes		

No. 248 Double-Edge **Rubber Squeegee**

 Sizes: Blade: Rubber, 1/4" thick 18" No. 24818 x 3 1/2" wide, double 24" No. 24824 edged. Squeegee may be 30" No. 24830 turned over for double life. 36" No. 24836 No. 248R Refill blades available in all sizes.

No. 249 Double-Edge Neoprene Squeegee (not shown)

Blade: Neoprene, 1/4" thick x 3 1/2" wide, double	Sizes:	18" No. 24918 24" No. 24924
edged. Resists petroleum		30" No. 24930
products. Identical to No.		36" No. 24936
248 except with Neoprene		
blades. No. 249R Refill		
 blades available in all sizes. 		

No. 25122 Disposable Moss Foam Rubber Squeegee

· Binde: Twin natural black	metal frame. Domestic and
moss foam rubber, sei in a	professionnl applications.
lightweight galvanized	 Slze: 22"



No. 25330 Disposable Moss Е Foam Rubber Squeegee Blade: Dual natural black

moss foam rubber, set in a heavy-duty galvanized metal (rame with splash guard and reinforced handle. Ideal for factories,

\Lambda No. 25818 Sanitary Disposable Moss Foam Rubber Squeegee

· Blade: Twin natural black must fourn rubber. Plastic frame & handle socket design enables use in areas where hygiene is important. • Slze: 18"

No. 26624 White Rubber Squeegee

· Blade: Food grade approved rubber, 1/4" thick x 3 1/2" wide. All stainless steel construction. Ideal for food processing plants and restaurants that require FDA approval. No. 26624R Refill hlade available. . Size: 24"

supermarkets, car washes, auto or implement shops. Works well on sand, mud, and floor dry. Size: 30" Most Popular.	
	-
	AKNAN
	AND

Squeegee Handles & Accessories

No. 248H Hardwood Tapered Handle Red-tipped, sanded. double-lacquered finish. 1 1/8" x 60".

No. 253H Tapered Wood Handle Red-tipped, sauded, double-lacquered finish, 15/16" x 60". Recommended for moss foam squeegees.

No. 81 Brace Fits replaceable blade squeegees. Steel, powder-enated silver, supplied with hardware.

No. 815S Stainless Steel Brace Fits all replaceable blade floor squeegees. Supplied with stainless steel hardware. Recommended for No. 26624 Squeegee.

No. 240 Zine Squeegee Socket Fits all replaceable blade floor squeegees.

No. 241 Plastic Squeegee Socket Fits all replaceable blade Anor squeegees.

Corn Brooms & Metal Cased Warehouse Brooms

- No. 97 Deluxe Houseliold Corn Broom 100% natural fiber, 5-sew. 1" diameter wood handle. Overall length 57", Lightweight, easy to handle. Avnilable only in standard pack of 12.
- D No. 98 Warehouse Corn Broom 100% natural fiber. I wire, 3-sew, I 1/8" diameter wood handle, Overall length 58". Available only in standard pack of 12.
- No. 100 Heavy-Duty Cnrn Broom 100% natural fiber. 1 wire, 4-sew. 1 1/8" diameter clear lacquered wood handle. Overall length 58". Available only in standard pack of 6.
- No. 100BH Heavy-Duty Corn Broom Same as No. 100 Heavy-Duty Corn Broom except has black painted wood handle. Available only in standard pack of 12.
- No. 102 Metal Cased Broom Heavy-duty crimped plastic fiber for factory, foundry, mill or grain elevator sweeping. 1 1/8" diameter wood handle. Overall length 56". Long 10" trim with 11" sweeping face. Adjustable wire to add stiffness.
- No. 102C Same as No. 102 except has steel chisel point on end of handle. Commonly used to chip ice on track for railroad switching.
- No. 153 Corn Broom Very stiff Yneca center surrounded by natural corn fiber. Used hy roofing contractors and grain elevators. 1 wire, 4-sew. 1 1/8" diameter wood handle. Overall length 58".



Ideal for a variety of cleaning uses. The face of these dusters is 8". They are available in either 14" wood or plastic blocks. as indicated.

No.	Fill Material	Block
452	Green Nylon	Wood
453	Black Horsphar	Wood
454	Horsehair/Plastic	Wood
455	Grey Tampico	Wood
456	Brown Plastic	Wood
457-1	Beige Plastic/Flagged	Wood
IS 457-4	Grey Plastic/Flagged	Wood
462	Black Tampico	Wood
471	Red w/Black Plastic Border	Wood
652	Green Nylon	Plastic
660	Red/Black Plastic mix/Flagged	Plasuc
667	Bine Plyer Thegged	Plastic

135

1.800 KC SUPPLY (527.8775) मेंग्रेग www.kcsupply.com



D

Θ



18



Brushes, Handle Accessories, Scoop Shovels



136

Convenient flat-bottomed Eastern pattern. Alu-minum is acid-etched for a superior finish that will not flake or wear off. Blade is non-sparking, natu-rally rustproof and lightweight. 11⁺x14⁺x² blade is, 101" thick. Size 2. 48" premium ash lacquered bandle handle.

heavy- duty applications. Aluminum is acid-etched for a superior finish that will not flake or wear off. Blade is nonsparking, rustproof and lightweight. 14 1/2" x 17 1/4" blade is 101" thick. Size 10. 48" premium ash lacquered handle



Razor-Back® Western Pattern Aluminum Scoops Contractor-Duty



Best for transferring large quantities of coal, grain, mulch, snow, or other foose materials dur-ing heavy-duty use. Convenient Western pattern with reinforcement ribs for heavy duty applica-tions. Aluminum is acid-etched for a superior fin-ish that will not flake or wear off. Blade is non-sparking, naturally rustproof end lightweight. Blade is .101" thick. 31" premium ash lacquered handle. Steel and wood D-grip.

No. AL12WGS Size 12, 14%"x18%" blade.

Unian® Western Pattern Aluminum Scoops Tough-Duty



Useful for transferring large quantities of loose materials. Convenient Western pattern with reinforcement ribs for heavy duty applications. Alu-minum is acid-etched for a superior finish that will not llake or wear off. Blade is non-sparking, natu-rally rustproof and lightweight. Blade is .077" thick, 29" ash lacquered handle. Steel and wood D-grip.

No. CAL10WGS Size 10. 14½"×17¾" blade. 6/pkg., shipping wt. 22 lbs.UPC Nc No. CAL12WGS Size 12. 14¾×18¾" blada.



1.800 KC SUPPLY (527.8775) Phone 816.753.7676 Fax 816.753.0444 www.kcsupply.com email: kcsupply@kcsupply.com

Non-Sparking Tools



Ampco Safety Tools are non-sparking, non-magnetic, and corrosion resistant. All of the Ampco alloys used to produce these tools have the approval of Factory Mutual Research Corporation for non-sparking use. The tools meet OSHA requirement for use in locations where flammable vapors or combustible residues are present with a few exceptions. More than 1600 styles and sizes are available. Special tools and sizes can be made to customer specifications.

Long Cutter Mattock



Supplied with handle. Overall length, 17". No. M-55 3" Vertical Blade, 3%" Horizental Blade



Floor Scraper S-71s 6" wide blade, with plain cutting edge





Entire pick made of bronze.

Roilrood or Clay Picks



Furnished without handles; handles available at extra cost. No. P-1 Length of Head 20½" No. P-3 Length of Head 25"... No. P-6 Length of Head 27½"

Nan-Sparking Rakes



With handle, 14 teeth, 141/4 inchos wide, Weight, 3% lbs.



- 6" blade (Not Pictured)



Handy tool, with one serrated and one smooth edge. 36"×4" aluminum head with 28 teeth. Bolted brace and 82" aluminum handle.

1.800 KC SUPPLY (527.8775) www.kcsupply.com

Biade Dimensions 18" x 6"

No. R-10

Fax 816.753.0444 email: kcsupply@kcsupply.com



Rozor-Back® Aluminum Asphalt Lute Rake Contractor-Duty No. AAL36S-7



SCRAPER, LONG BLADE

S-20	3″	blade
S-21	4"	blade

S-22	5" blade	
c 0.2	CH la la dia	

- S-23
 - All scrapers furnished without handles.
- Handle 5' long; weight 5 lbs.





- 6" blade.

Aluminum Truck Box Scraper (Pictured)









AV-1200 Heavy Duty Air-Powered Wet / Dry Vacuum

The AV-1200 Air Powered Vacuum is a proven workhorse. It is ideal for those situations where the use of electricity is not available or desirable. The unit can be used for liquid recovery or dry debris pickup. In actual field-conditions testing, the AV-1200 gulped up 45 gallons (170 liters) of water per minute. Maintenance personnel across all industries count on this vacuum to get the job done. It recovers everything from machine oil and engine coolant to assorted powders and metal chips quickly and safely... with air power. The AV-1200 can be used on 15 gallon (57 liter) tanks and 30 or 55 gallon (114 or 208 liter) drums.

Features – Benefits

Shock resistant - excellent for applications where the use of electric equipment presents a safety hazard No moving parts - virtually maintenance free Choice of three tank sizes - fits any application Automatic liquid shut-off - prevents overflow Metal deflector - will not shatter Reusable triple inside filter assembly - saves money Uses 11/2" or 2" (38mm or 51mm) hoses - versatile

Specifications

Air Requirements: Minimum 50 PSI at 35 CFM (3.5 BAR at 1 m³/min), Maximum 90 PSI at 50 CFM (6.2 BAR at 1.4 m3/min) Air Line: 1/2" (13mm) I.D. or larger Static Water Lift: 120"-170" (3.1-4.3m) Air Displacement:

Weight of Lid Assembly:

135-125 CFM (3.6-3.5 m³/min) 16 lbs (7 kg)



Air Vacuum Accessory Kits

VAC-KIT-9-G Grounded Industrial Vacuum Accessory Kit 11/2" (38mm): Same as VAC-KIT-9 except with grounding wire and 15' (4.5m) hose

Vac-2 Electric Wet / Dry Vacuum (Not Class II-G)

The Twin-Motor Vac-2 vacuum offers high water lift and air movement. The Vac-2 can be used for liquid recovery or dry debris pickup. It is designed to last and give years of dependable performance. That means you can count on the Vac-2 to keep going strong long after other vacuums give up. Applications from general cleaning and liquid recovery to picking up metal chips and coolant in machine shops have made the Vac-2 our best seller. The Vac-2 can be used on 15, 30 or 55 gallon drums. Uses 1 1/2" or 2" hose (order hose and accessories separately).

- Three Tank Sizes
- Two super cooled heavy-duty by-pass motors with strong suction
- Metal deflector prevents damage to tank
- Automatic liquid shut off prevents overflow
- Reusable triple inside filter assembly

Specifications: Motor: 2 2/3 HP total, 1 1/3 HP per motor Amps: 18 (115V), 9 (220V) 83" Static Water Lift: 198 CFM Air Displacement: Weight of lid assembly: 25 lbs

Electric Vacuum Accessory Kits

VAC-KIT-9 Industrial Vacuum Accessory Kit 11/2" (38mm): VAC-005 Neoprene Wire Reinforced Hose 🚆 10' (3m), VAC-009 Double Bend Wand 54" (1.37m), VAC-010 Extension Tube 54" (1.37m), VAC-012 Extension Tube 5' (1.5m), VAC-013 Nylon Floor Brush 14" (360mm), VAC-015 Squeegee Floor Tool 14" (360mm) VAC-017 Rough Surface Fiber Shod Floor Too) 14" (360mm), VAC-021 Wall and Overhead Brush 8" (200mm), and VAC-027 Steel Crevice Tool 27" [690mm]

1.800 KC SUPPLY (527.8775) www.kcsupply.com

Phone 816,753,7676 Fax 816.753.0444 email: kcsupply@kcsupply.com



Turbine Twin Model H Electric Vacuum



HOSE CLAMPS

KC Supply stocks a variety of clamps for different hoses.

MAKE-A-CLAMP Kits

This is a maintenance "clamp system" in a box. By simply cutting off a piece of banding, you can make any size 301 stainless steel worm-driven clamp from 2" diameter and up.

#4001 Includes 100 ft band, 25 adj. fasteners, 10 splices#4002 Includes 50 ft band, 10 adj. fasterners, 5 splices#LS188 Quick Release Clamp for 2 1/6" to 12 5/16"

Features:

- Model #TT883 produces approx 150 inch of water lift with 1.5 HP
- Model #TT923 produces approx 270 inches of water lift with 2.1 HP
- 55 gallon capacity, 18 gauge painted steel
- 1 year warranty
- Dry vacuum only, not for wet applications

Anti Static Package includes:

- Drum top power-pak with extra filter, 55 gallon drum and hand kart
- Hand cart with 2 fixed and 1 swivel wheel
- Anti-static hose 10 and 20 ft lengths, 1 1/2" ID
- 1 #24T connector w/ 4 #24T clamps
- #22 Smooth nozzle, 4 3/4" wide
- #43 Crevice Tool
- #66A Blower til with connector
- #70 Aluminum "S" wand with lock nut
- #71 Dust Brush, 14" wide
- #72 Rough floor tool, 15" wide

MOUSE TRAPS



The Original "KETCH-ALL"

- Catches up to 15 mice in one setting
- NO bait needed
- NO dangerous chemicals or poisons
- Safe around children and pets
- Winds like an alarm clock Accessories
- Drowning Attachment
- Clear View Lid

