TRAFFIC SAFETY EQUIPMENT



TRAFFIC CONES

Constructed of dayglow-orange PVC material that provides excellent visibility under all weather conditions. Available in a variety of sizes as well as with reflective stripes.

SAFETY TRIANGLE

Complies with Federal Motor Vehicle Standard 125.

SAFETY FLARE

Visible in fog, rain, or snow. Easy to ignite with selfcontained striker. Available with 20 or 30 minute durations.





TANKS-A-LOK SECURITY DEVICES

These systems were devised to address the growing problem of anhydrous ammonia theft. Secure your products, reduce your liabilities and ensure the safety of your area.

MODEL KC2000 / KC1000

- For portable tanks, easy to install
- Steel cap hardened to Rockwell 60
- Weather-proof padlock resists saws, bolt cutters and drills
- Excellent security for riser valves

MODEL VK 1000

- For large storage tanks
- Same high security standards as KC series

FIRE BLANKETS AND KITS

FIRE BLANKET KIT: SAF-1000-W

Kit consists of Fire Blanket (SAF-1002) 62" x 82" Fire Resistant Treated 100% Wool wt. 3-1/2 lbs. and sturdy Steel Cabinet (SAF-1000-CW) ready for wall mounting. Cabinet is bright Red Enamel with White lettering. DIMENSIONS: 23-7/8" L x 8-1/2" W x 6-1/2" H; WEIGHT: 12 lbs. CAN SHIP VIA UPS

FIRE BLANKET: SAF-1002

100% processed Wool—Treated with fire-resistant chemical. Machine washable. Conforms to Federal Flammable Fabrics Act CS-191-53. DIMENSIONS: Size: 62" x 84"; WEIGHT: 3-1/2 lbs.



198	1.800 KC SUPPLY (527.8775) www.kcsupply.com)
	www.kcsupply.com	

Phone 816.753.7676 Fax 816.753.0444 email: kcsupply@kcsupply.com

STRETCHERS

Junkin pioneered the development of the Splint Type-Basket Stretcher which led to the outstanding Series 300 Stretchers, the most efficient and practical products of their kind on the market. Made of steel, all welded rigid construction which does not rely on injured person to attain form or rigidity. Light in weight and ample in size. Available in six models with supplemental accessories to facilitate special handling needs.

LIGHTWEIGHT BASKET TYPE STRETCHER: SAF-300

Nylon web straps at chest, abdomen, thigh, and calf. Adjustable footrests for vertical lifting. Frame is 5/8" steel tubing; cross braces and runners 3/16" x 3/4" flat steel. Basket is 18 gauge, 1" hexagon mesh netting.

DIMENSIONS: 80-1/2" L; 8" H; Chest: 22-1/2" W; Abdomen 22" W; Thigh 21-1/2" W; Calf 20-1/2" W. CARTON SIZE: 83" x 8" x 24". ALSO AVAILABLE WITH PLASTISOL COATING (SAF-300 PC). SHIPPING WEIGHT: 31 lbs.

LIGHTWEIGHT BASKET TYPE STRETCHER: SAF-300-A

Same as the SAF-300 with the addition of a wood rack through back of trunk section and a strap adjusted foot rest.

SHIPPING WEIGHT: 32 lbs.



STRETCHER ACCESSORIES

STRETCHER BRIDLE SLING: SAF-300-X

The SAF-300-X Stretcher Bridle Sling provides horizontal or vertical lifting capacity of up to 2,000 lbs. Made of 1" nylon webbing resistant to moisture and fungus rot with forged snap hooks and 3" ID forged steel suspension ring.

PATIENT RESTRAINER STRAP: SAF-300-4

Standard length 5'. Extra length available.

VINYL STORAGE COVER: SAF-301

Junkin SAF-301 Vinyl Storage Cover, will accommodate any Junkin Splint Stretcher and accessories. Zippered for easy access, complete with bracket for wall mounting. Dust and water resistant. WEIGHT: 7 lbs.

COMFO-PAD: SAF-302

Made of 1/2" foam rubber, sturdy nylon cover in orange color. Designed to fit all Junkin SAF 300 Splint Stretchers. Provides added comfort for patient. Held in place with hook and loop type fasteners and is easily removed for cleaning.

WEIGHT: 1 Ib. CAN SHIP VIA UPS





1.800 KC SUPPLY (527.8775) www.kcsupply.com Phone 816.753.7676 Fax 816.753.0444 email: kcsupply@kcsupply.com



I416 Flotation Vest

- USCG Approved Type III • 64 sq in of SOLAS-grade
- reflective panels Side and shoulder
- adjustments
- Tough nylon shell
- International Orange Color
- Rustproof zipper

• Universal Size

snap buckles

punctured

Buoyant even when

• Sizes: S,M,L,XL,XXL, XXXL, 4XL

I223 The Force II Vest



I030REF Type IV Reflective Ring Buoy

- USCG Approved Type IV
- SOLAS 74/83 compliant
- Molded, durable plastic
- Encircling rope
- Size: 30"
- International Orange Color
- Resistant to common chemicals, marine oils, and UV ravs

PVC Boot

- Completely waterproof
- Non-slip cleated sole
- Steel Shank
- Excellent for general purpose use
- Full sizes only
- Other types of boots available (which are not pictured)



Type I Metallic Safety Cans

- filling and pouring
- arrester dissipates heat to stop flashback
- vent protects against explosion





Type II Metallic Safety Cans

- Two openings: one for pouring and one for filling
- Built in metal hose for spill-free pouring
- Positive pressure relief valve



Safety Storage **Cabinet**

- Hold from 12 to 60 gallons of flammable liquid
- Meets or Exceeds NFPA and OSHA criteria
- Double wall construction
- Liquid-tight bottom well
- Available with manual or self-closing doors

Fire Extinguishers

- ABC Rated
- Class A = standard combustibles
- Class B =flammable liquids
- Class C = electrical fires
- Capacities: 2 1/2, 5, 10, and 20 lbs.

Phone 816.753.7676 Fax 816.753.0444 email: kcsupply@kcsupply.com







- Single spout for both
- FM tested flame
- Spring-mounted relief