

Lockout Solutions

LKD (Keyed Different) Each padlock is keyed individually having only one key that can open and close lock.

LKA (Keyed Alike) Each padlock has two keys that can open all the locks in the set.

LKAM (Keyed Alike, Master Key) Same "Keyed Alike" rule applies to padlocks with the availability of Master keys that can open all padlocks in all sets.



Master Lock. "Bilingual" Safety Lockout Padlock

- 3" (76mm) tall non-conductive Xenoy body
- Restricted safety lockout 6-pin tumbler cylinder for greater security

1-1/2" Shackle Clearance

KEYED DIFFERENT	KEYED ALIKE	COLOR
LKD-411OR	LKA-411OR	ORANGE
LKD-411YL	LKA-411YL	YELLOW
LKD-411GR	LKA-411GR	GREEN
LKD-411BL	LKA-411BL	BLUE
LKD-411RD	LKA-411RD	RED
LKD-411TE	LKA-411TE	TEAL
LKD-411PU	LKA-411PU	PURPLE
LKD-411BK	LKA-411BK	BLACK

PART#	
LKD-411	KEYED DIFFERENT
LKA-411	KEYED ALIKE

3" Shackle Clearance

KEYED DIFFERENT	KEYED ALIKE	COLOR
LKD-413OR	LKA-413OR	ORANGE
LKD-413YL	LKA-413YL	YELLOW
LKD-413GR	LKA-413GR	GREEN
LKD-413BL	LKA-413BL	BLUE
LKD-413RD	LKA-413RD	RED
LKD-413TE	LKA-413TE	TEAL
LKD-413PU	LKA-413PU	PURPLE
LKD-413BK	LKA-413BK	BLACK

PART#	
LKD-413	KEYED DIFFERENT
LKA-413	KEYED ALIKE



Sold pictured as seen.

Master Lock. Fusion Locks with "Two Position Adjustable Shackle"

Four different colors in one pack!

- Shackle has two adjustable positions for added flexibility: 5/8" (18mm) or 1-1/2" (38mm)
- Each key head is colored matched to its specific lock for easy identification

193DR 1-3/4" (44mm) wide Red, Blue, Green & Purple chrome-plated zinc body (Sold four different colors in one pack) 4-pack

Master Lock. Adjustable Shackles

The 510 Series

- Shackle length adjusts from 5/8" (16mm) to 2" (51mm) to accommodate various situations
- 1-3/4" (44mm) wide laminated steel body with standard steel shackle
- Removable adjustable shackle provides maximum application flexibility and snug fit



LK-510D Keyed Different

LK-510KA Keyed Alike

The 517 Series

- Shackle length adjusts from 2-3/4" (7cm) to 5-3/8" (14cm)
- 1-3/4" (44mm) wide laminated steel body with standard steel shackle
- Removable adjustable shackle provides maximum application flexibility and snug fit



LK-517D Keyed Different

LK-517KA Keyed Alike

Master Lock. Safety Series™ Personal Lockout Kits

Keep important lockout devices and padlocks together. Choose from several kits that are OSHA compliant.



1457E410KA

- 1457 safety carry case containing:
- 3 ea.- No. 410 red Xenoy padlocks keyed alike
 - 1 ea.- 7C5RED Circuit breaker
 - 1 ea.- 420 Lockout hasp
 - 1 ea.- 427 Snap-on hasp
 - 2 ea. - 491B Grip Tight™ lockout devices for wide or tall breaker toggles
 - 3 ea. - 493B Grip Tight™ lockout devices for standard size breaker toggles
 - 1 ea. - 496B Wall switch lockout
 - 12 ea.- 497A Danger Tags



1457V410KA

- 1457 safety carry case containing:
- 3 ea.- No. 410 red Xenoy padlocks keyed alike
 - 1 ea.- 420 Lockout hasp
 - 1 ea.- 427 Snap-on hasp
 - 1 ea. - 8611 Adjustable cable lockout
 - 1 ea. - 480 gate valve cover for 1" (2.5cm) to 3" (7.6cm) handles
 - 1 ea. - 481 gate valve cover for 2" (5.1cm) to 5" (12.7cm) handles
 - 1 ea. - 482 gate valve cover for 4" (10.2cm) to 6.5" (16.5cm) handles
 - 2 ea. - 468L Seal Tight ball valve covers
 - 12 ea.- 497A Danger Tags



1457VE410KA

- 1457 safety carry case containing:
- 3 ea.- No. 410 red Xenoy padlocks keyed alike
 - 1 ea. - 420 Lockout hasp & 1 ea.- 427 Snap-on hasp
 - 1 ea. - 7C5RED Circuit Breaker Padlock
 - 1 ea. - 8611 Adjustable cable lockout
 - 1 ea. - 480 gate valve cover for 1" (2.5cm) to 3" (7.6cm) handles
 - 1 ea. - 481 gate valve cover for 2" (5.1cm) to 5" (12.7cm) handles
 - 1 ea. - 482 gate valve cover for 4" (10.2cm) to 6.5" (16.5cm) handles
 - 2 ea. - 468L Seal Tight ball valve covers
 - 2 ea. - 491B Grip Tight lockout for standard size breaker toggles
 - 3 ea. - 493B Grip Tight devices for wide or tall breaker toggles
 - 1 ea. - 496B Universal wall switch cover toggle and paddle switch
 - 12 ea.- 497A Danger Tags

Lockout Solutions



Master Lock. Resettable Combination

Set-your-own combination convenience
Resettable to any of 10,000 personalized combinations
Solid brass case for strength and weatherability

LK-175D 2" (51mm) wide body with 1" shackle


LK-175DLH 2" (51mm) wide body with 2.25" shackle



Master Lock. Extra Wide Padlock

- 3-1/4" (83mm) wide laminated steel body for superior strength
- Removable cylinder can be replaced or repinned
- Extra-wide reach for commercial freezers and other special applications
- More than 9,000 key changes available

LKD-101 Keyed Different; 5 pin, 3" shackle
LKA-101 Keyed Alike; 5 pin, 3" shackle



HASPS

- Tamper proof hinges help resist prying
- Hardened steel locking eyes for strong cut resistance

LD-1 Aluminum 1" diameter jaws
LD-1.5 Aluminum 1-1/2" diameter jaws
LD-418 Heavy Duty 4 padlock capacity
LD-419 Heavy Duty 8 padlock capacity
LD-428 Plastic non-conductive
LD-429 Aluminum, Dual Jaw 1" & 1-1/2"
LD-453L Lockout Cinch Sack

Training Booklets



BK-1
Lockout: This new handbook is designed to work with your company's plan and teach basic concepts about hazardous energy. The various energy sources, what lockout/tagout is and when you should use it, and OSHA's six steps are discussed. Complies with OSHA 1910.140.



BK-2
Electrical: Beware the Bite: Based on the concept that electricity can strike with the ferocity of a deadly snake, this important handbook focuses on working safely around electricity, including providing engineering controls, safe work practices and personal protective equipment.



BK-3
Electrical Qualified Worker: Use this handbook to make sure your qualified electrical workers know the proper safety procedures and are aware of the hazards involved when working with electricity.



BK-4
HazCom: Your Safety Net: This employee handbook will help you train employees in the identification of hazardous chemicals, the use of product warning labels and understanding an MSDS. Complies with OSHA 1910.1200.

CABLES Master Lock.



Keyed Cable Lock

- Flexible steel cables for strong cut resistance
- Protective coating helps prevent scratching

8154DPF 6-ft Long Integrated Keyed Cable Lock 3/8" (10mm) Diameter

8155DPF 6-ft Long Integrated Keyed Cable Lock 5/8" (15mm) Diameter



Cable w/Loops

- Braided steel wires for strength and flexibility
- Convenient loops with rust-resistant sleeves and scratch guards

72DPF 15' cable (4.6m) long, 3/8" (10mm) diameter



Python Adjustable Locking Cables

- 100% steel braided cable
- Weather tough and rust resistant lock body and cable

8413XDPF 6' cable (1.8m) x 3/8" (10mm) Keyed different

8413KA 6' cable (1.8m) x 3/8" (10mm) Keyed alike



U-LOCKS

8118DPF 3-11/16" Vinyl-coated U-Lock, Ideal for use with heavy duty cable and chain.

8174DLWPF 8-1/4" (21cm) Double locking shackle withstands 3.5 tons (3.2 metric tons) of pull strength, Vinyl-coated U-Lock



BK-5
HazCom: Road to Safety: Just like the warning signs on the road, warning labels provide information to keep workers on the road to safety. This handbook details the training requirements of the HazCom standard and helps workers stay safe.



BK-6
Warning Labels & Signs: Signs and labels are there to ensure worker safety, not for decoration. Help your employees "get the message" by explaining the sign system in your workplace with this vital handbook.

Safety Series™ Lockout/Tagout Video Training Program



- Training Package for employee safety and OSHA compliance
- Includes video, 10 Lockout/Tagout Procedure Employee Reference Cards, instructor's guide and employee quiz
- Length: 10 minutes

VHS-499PR Lockout Training Booklets (10 ea.) ... \$19.95

VHS-499V Lockout Training Video Program with Booklets... \$149.00

Lockout/Tagout



THE SIGNS OF A SAFE INDUSTRY



NEW

Pneumatic Lockout

S3900

- Fits virtually all pneumatic fittings used in manufacturing facilities
- Stainless steel construction
- Prevents fitting from being reconnected

Replaces 465

Adjustable six foot cable Lockout

TL-8611

For both multiple circuit breaker panel and side by side gate valve lockout.

TL-8615

Fifteen foot replacement cable for the lockout device.



Receptacle Lockout



TL-21

- Prevents overloading the circuit, which may cause damage to other equipment plugged into the receptacle.
- Prevents use of an open electrical receptacle.

Steering Wheel Locks



SW-256DAT

Pedal to Wheel Lock

- Locks steering wheel to brake pedal
- Adjustable length fits most vehicles

Advanced Security Steering Wheel

SW-252DAT

Advanced Security Steering Wheel Lock "Quad Hook"

- Quad hook design
- Multiple cuts cannot defeat
- Fits most vehicles
- \$1000/1-Year Anti-Theft Guarantee



Electrician's Lockout Kit

TL-1456E410

- A 1456 safety lockout pouch containing:
- (1) No. 410 red Xenoy® padlock
 - (1) 491B Circuit Breaker Lockout
 - (1) 7C5RED breaker switch
 - (12) 497A Danger Tags
 - (1) 420 Lockout Hasp
 - (2) 493B Grip Tight Lockout devices for wide or tall breaker toggles

Snap-on Hasp

TL-427

Up to five workers can apply their safety locks
Combines multiple-person Lockout and Tagout identification.



Circuit Breaker Lockout Center/Kit

Comes with holes in each corner and foam tape for mounting



TL-30 - Kit

Center that includes: 2- LT-108 tags with fasteners, 1- 410 Xenoy Master Lock padlock, 1- 493B 277 Volt "No Hole" Breaker Lockout Device (the 493B replaces the 492, 493 & 495 circuit breaker lockout) and 1- LD-1 safety lockout hasp.

TL-29 - Center Only

Group Lock Box accepts 13 locks

TL-498A

Lockout large equipment. After the equipment is locked out, those keys are placed in this lock box. Then, each authorized work team member places a personal lock on this lock box. Ensures that no one employee has access to the keys in the box unless all employees have removed their personal locks. Heavy steel construction.



9-1/4" x 6" x 3-3/4"

MINI CENTER

TL-28

Center Includes:
Six 3/4" Master® Locks.
Two – Safety Lockouts (one LD-1, and one LD-1.5) and ten lockout Tags.

TL-27

Center Only





Lockout Safety Hasps

Made of light steel

- 1" or 1.5" Jaw opening • 4-3/8" length • Red handle



1" JAW OPENING

LD-1

1.5" JAW OPENING

LD-1.5

NEW



Seal Tight Ball Valve Lockout Master Lock.

This device works with 3/8" to 4" ball valves

- Works in tight clearance
- Works with insulated pipes
- Compact size

TL-468L

This device replaces 476, 477 & 478



Part#	Description
TL-468L	Seal Tight Ball Valve Lockout



ELECTRIC PLUG LOCKOUT Master Lock.



TL-487

S2005


- Completely encloses plug...
- No accidental re-connection

TL-488

Part #	Description
TL-487	Cord diameter up to 3/4" (Most 110 and some 220 volt plugs)
TL-488	Cord diameter up to 3/4" (Most 220 and 550 volt plugs)
S2005	110 volt plug blade lockout

Lockout/Tagout Valve Lockout

• FIVE SIZES: To cover handles from 1" to 13" diameter



- Safe • Efficient • Inexpensive

Part #	Description
TL-480	Fits 1" to 3" diameter valve handles
TL-481	Fits 2" to 5" diameter valve handles
TL-482	Fits 4" to 6.5" diameter valve handles
TL-483	Fits 6" to 10" diameter valve handles
TL-484	Fits 8" to 13" diameter valve handles
TL-485	One set of all the above Valve Lockouts

• Can handle temperatures from -50 ° F (-46 ° C) to 360 ° F (177 ° C)

Grip Tight Circuit Breaker Lockout Master Lock.



The TL-491B replaces the 491 & 494

The TL-493B replaces the 492, 493 & 495

- Works like a vice grip. Hand tighten, then swing handle closed for tight grip of breaker toggle
- Durable powder coat steel construction
- Compact size

Part #	Description
TL-491B	Oversized Breaker Switch Device
TL-493B	277 Volt "No Hole" Breaker Lockout Device

• Breakers must be in the OFF position before installing



NEW

Wall Electric Switch Lockout Master Lock.

TL-496B

- Universal lockout fits virtually all types of wall switches
- Works with toggle and Decora™ paddle switches
- Includes English/Spanish & English/French lockout labels

TRILINGUAL STEERING WHEEL COVER

English, Spanish and French

Master Lock.



Applied to the steering wheel and locked in place with a LD-1.5 hasp (included) and padlock (not included), the cover provides a visual deterrent to starting or moving a vehicle that is being serviced.

For added security, use cover in conjunction with our 8611 Lockout Cable. See page 77

SWC-4716	16" Diameter Cover
SWC-4720	20" Diameter Cover
SWC-4724	24" Diameter Cover

Lockout Stations



THE SIGNS OF A SAFE INDUSTRY

LOCKOUT STATION KIT			
PART #	INCLUDES	SIZE	PRICE
LTOSK 4	4 PADLOCKS 25 LOCKOUT TAGS 3 LOCKOUT HASPS	8x12	
LTOSK 10	10 PADLOCKS 25 LOCKOUT TAGS 3 LOCKOUT HASPS	19x12	
LTOSK 20	20 PADLOCKS 50 LOCKOUT TAGS 6 LOCKOUT HASPS	19x24	
LTOSK 30	30 PADLOCKS 75 LOCKOUT TAGS 9 LOCKOUT HASPS	24x24	



LTOSK10

Included in Lockout Station Kits

Lockout Stations

Permanent Centers for Equipment & Departments.

- Heavy duty yellow acrylic boards feature eyelets that allow padlocks to be locked until ready to use.
- Feature Master Lock No. LK1-BL Safety Series™ padlocks, designed exclusively for OSHA lockout compliance.
- Compliance with OSHA directive "one employee, one lock" Includes Safety Series™ hasps (LD-1) for lockout by up to 6 workers at each lockout point.
- Lockout station includes laminated Danger tag "Do Not Operate" (LT-108) with brass grommet.



LK1-BL



LD-1



LT-108-1

LOCKOUT STATION

Lockout Station only - no locks, tags or lockouts


PART#	DESCRIPTION	SIZE	PRICE
LTOS 4	4 LOCK (Capacity)	8x12	
LTOS 10	10 LOCK (Capacity)	19x12	
LTOS 20	20 LOCK (Capacity)	19x24	
LTOS 30	30 LOCK (Capacity)	24x24	

Group Lock Boxes

Latch tight Group Lock Boxes

Group Lock Boxes eliminate the potential for access to secured keys. Only after all servicing is completed and the last lock is removed, can any key be removed from box.

LATCH TIGHT ENSURES SECURE LOCKOUT



Lockout stays secure until the last lock is removed.

To Open:
Remove padlocks.
Press locking lever forward.



Push handle down to release door.


TWO METHODS TO CAPTURE KEYS



Bulk Storage
Insert through key slot.

Organized Storage

Label the 12 key holders to know which machine is locked out.



Safety Series Latch Tight Group Lock Boxes are available in your choice of Safety Red or High Visibility Yellow.

- 503RED Red Lock box
- 503YEL Yellow Lock box

Master Lock.

Commonly used to secure lock-outs and tags.



Steel Body Padlocks

These rust proof locks are ideal for identifying specific workers and departments.

LK1 Individually Keyed
Each lock is keyed differently for maximum security for individual users. 3/4" shackle).

BUMPER COLORS

- LK1-RD RED
- LK1-YL YELLOW
- LK1-BL BLUE
- LK1-WT WHITE
- LK1-GR GREEN
- LK1-BK BLACK

LK2 Master Keyed
Each padlock is keyed differently and can be opened by a master key for control by supervisor. 3/4" shackle.

BUMPER COLORS

- LK2-RD RED
- LK2-YL YELLOW
- LK2-BL BLUE
- LK2-WT WHITE
- LK2-GR GREEN
- LK2-BK BLACK



Xenoy® 1 1/2" shackle
Non-conductive fiberglass, plastic protects workers from accidental electrocutions and will not corrode from chemicals or moisture. Each lock is supplied with one key, as recommended by OSHA. A single, dedicated safety key is retained until the lock is closed.

- 410-BK Black
- 410-BL Blue
- 410-OR Orange
- 410-GN Green
- 410-RD Red
- 410-YL Yellow

LK2 - Sold 6 in a case with Master Key

Locks



American Lock™

Aluminum Safety Lockout Padlocks for enduring high temperature and moist environments.

OSHA requires locks used for your lock-out program be similar in shape size or color everywhere in your facilities so they are instantly recognized.

These locks meet OSHA regulations. Eight different colors available for easy identification Anodized color impregnated into aluminum body

- 1105G GOLD
- 1105E GREEN
- 1105U PURPLE
- 1105N ORANGE
- 1105R RED
- 1105K BLACK
- 1105B BLUE
- 1105D BROWN

Also sold 6 in a case